

 **VAUHTI**
WAX TECHNOLOGIES



2021 – 2022 CATALOG
FOR FLUORINATED PRODUCTS

TABLE OF CONTENTS

ABOUT SPEED SERIES	3
FC SPEED SERIES	4
RC SPEED SERIES	5
GLIDE WAX SERIES	6
ULTRA FLUOROCARBON GLIDE WAXES (UF)	7
HIGH FLUOROCARBON GLIDE WAXES (HF)	7
LF RACE FLUORINATED GLIDE WAXES (LFR)	7
FLUORINATED GLIDE WAXES (LF)	8
ALPINE BASE MIX	8
HARDENING POWDERS (HP)	8
LIQUID PRODUCTS	10
UF GLIDE WAXES	11
HF GLIDE WAXES	11
LF GLIDE WAXES	12
LIQUID BASE WAXES FOR GLIDE ZONE	12
MAINTENANCE AGENTS FOR SKIN SKIS, ZERO & CROWN SKIS	13
POS DISPLAY	13
GRIP WAXES	14
FLUORINATED GRIP WAXES (GF)	15
FLUORINATED KLISTER (KF)	15



SPEED SERIES

FC SPEED – 100% FLUOROCARBON PRODUCTS AND RC SPEED HIGH PERFORMANCE LIQUID GLIDE WAXES.

When the SPEED has no limits. Vauhti FC SPEED and RC SPEED products have superb characteristics. They minimize the surface energy of the ski base, making it super-hydrophobic and dirt-repelling. At the same time, they are excellent in cold conditions to reduce dry friction. The speed, glide sensitivity, and durability of these glide waxes are excellent in all weather conditions. With versatile application methods every skier will benefit, even the lightweight skiers.

Same as previous FC-products, but with purified raw materials to comply with ECHA regulations on fluorocarbon substances, PFOA < 25 ppb.

FC SPEED SERIES

FC SPEED POWDERS

PACKAGE SIZE: 30G/1OZ



320-FCSPW



320-FCSPM



320-FCSPC



320-FCSP LDR

FC SPEED BLOCKS

PACKAGE SIZE: 20G/0.7OZ



315-FCSBW



315-FCSBM



315-FCSBC



315-FCSBLDR

FC SPEED WET

+10/-1°C | 50/30°F

for all snow types from wet snow to damp snow

FC SPEED MID

0/-6°C | 32/21°F

for all snow types, especially on new snow and damp snow.

FC SPEED COLD

-6/-20°C | 21/-4°F

for all snow types on cold conditions

FC SPEED LDR

+5/-10°C | 41/14°F

for all snow types, especially in old and man-made snow

RC SPEED LIQUID GLIDE WAXES

They are based on ingredients from the highest level of chemical research used in glide wax series combined with purified top coatings. All these together give the products high speed racing performance, high hydrophobicity, superb durability in all snow conditions.



341-LRCSW RC SPEED WET

+10/-1°C | 50/30°F

for all snow types from wet snow to damp snow to zero degrees.

341-LRCSM RC SPEED MID

+2/-4°C | 36/25°F

for all snow types, especially on new snow and damp snow.



341-LRCSC RC SPEED COLD

-3/-15°C | 27/5°F

for all snow types on cold conditions.


341-LRCLDR RC SPEED LDR

+5/-10°C | 41/14°F

for all snow types, especially in old and man-made snow.

RC SPEED SERIES

GLIDE WAX SERIES



GLIDE WAXES

Glide waxes and grip waxes are produced in automatic process, where in each wax will possess optimized production parameters. The automation will monitor the manufacturing processes and casting temperatures of each product at a precision of one tenth of a decimal place. Waxes are based on ingredients from the highest level of chemical research. Modern equipment and technology will ensure the high quality of the products.

ULTRA FLUOROCARBON GLIDE WAXES (UF)

PACKAGE SIZES: 45G | 1.6OZ



Composition and contents of fluorinated additives in UF glide waxes are optimized. The composition of wax raw materials have been selected by precise laboratory analysis and numerous field tests. A special product for different snow types can be found from this series.

UF WET
+10/-6°C | 50/21°F

UF COLD
-3/-15°C | 27/5°F

UF MID
+2/-4°C | 36/25°F

UF LDR
+5/-10°C | 41/14°F

HIGH FLUOROCARBON GLIDE WAXES (HF)

PACKAGE SIZES: 45G / 90G / 180G | 1.6OZ / 3.2OZ / 6.3OZ



The series is intended specifically for competitive skiers and demanding fitness skiers. High fluorocarbon content provides for supreme water and dirt repellence. The entire line is suitable for all snow types, if the air humidity is over 55% and snow is humid or wet.

HF WET
+10/-1°C | 50/30°F

HF MID
0/-5°C | 32/23°F

HF COLD
-1/-10°C | 30/14°F

HF POLAR
-6/-15°C | 21/5°F

HF MOLY MID
+3/-5°C | 37/23°F

HF MOLY COLD
-5/-20°C | 23/-4°F

HF MIX WET & COLD
+10/-1°C | 50/30°F
-1/-10°C | 30/14°F

LF RACE FLUORINATED GLIDE WAXES (LFr)

PACKAGE SIZES:
45G / 90G / 180G / 540G | 1.6OZ / 3.2OZ / 6.3OZ / 19OZ



The series is intended specifically for active skiers and competitive skiers for training rounds. Fluorinated products are suitable for all snow types and weather conditions.

LF RACE WET
+10/-1°C | 50/30°F

LF RACE MID
0/-5°C | 32/23°F

LF RACE COLD
-1/-10°C | 30/14°F

LF RACE POLAR
-1/-25°C | 30/-13°F

LF RACE GRAPHITE
-1/-25°C | 30/-13°F

LF RACE ALL TEMP

FLUORINATED GLIDE WAXES (LF)

PACKAGE SIZES: 60G | 2.1OZ

The series is intended specifically for recreational skiers. Fluorinated LF glide series have improved glide performance compared to basic waxes. The content of these products is the same as Vauhti LF RACE-glidens except with lower fluorocarbon content.



LF WET
+10/-1°C | 50/30°F

LF MID
0/-5°C | 32/23°F

LF COLD
-1/-10°C | 30/14°F

LF POLAR
-1/-25°C | 30/-13°F

LF GRAPHITE
-1/-25°C | 30/-13°F

LF ALL TEMP



ALPINE BASE MIX

PACKAGE SIZE: 180G | 6.3OZ



1000-AFB180
ALPINE BASE MIX
FLUORINATED

HARDENING POWDERS (HP)

PACKAGE SIZE: 35G | 1.2OZ



Fluorocarbon hardening powders are designed for conditions in which the snow is exceptionally abrasive. For old snow, artificial snow or especially if the snow re-freezes after a long period of thaw.

321-HPC
HP COLD
-6/-12°C | 32/10°F

321-HPP
HP POLAR
-10/-25°C | 14/-13°F

°C	°F		UF GLIDE WAXES	45G
+10/-6	50/21	●	UF WET	330-UFW45
+2/-4	36/25	●	UF MID	330-UFM45
-3/-15	27/5	●	UF COLD	330-UFC45
+5/-10	41/14	●	UF LDR	330-UFLDR45

°C	°F		HF GLIDE WAXES	45G	90G	180G
+10/-1	50/30	●	HF WET	332-HFW45	333-HFW90	334-HFW180
0/-5	32/23	●	HF MID	332-HFM45	333-HFM90	334-HFM180
-1/-10	30/14	●	HF COLD	332-HFC45	333-HFC90	334-HFC180
-6/-15	21/5	●	HF POLAR	332-HFP45	333-HFP90	334-HFP180
+3/-5	37/23	●	HF MOLY MID	332-HFMM45	333-HFMM90	334-HFMM180
-5/-20	23/-4	●	HF MOLY COLD	332-HFMC45	333-HFMC90	334-HFMC180
+10/-10	50/14	●	HF MIX WET&COLD	332-HFMC45		

°C	°F		LF RACE GLIDE WAXES	45G	90G	180G	540G
+10/-1	50/30	●	LF RACE WET	343-LFRW45	344-LFRW90	345-LFRW180	346-LFRW540
0/-5	32/23	●	LF RACE MID	343-LFRM45	344-LFRM90	345-LFRM180	346-LFRM540
-1/-10	30/14	●	LF RACE COLD	343-LFRC45	344-LFRC90	345-LFRC180	346-LFRC540
-1/-25	30/-13	●	LF RACE POLAR	343-LFRP45	344-LFRP90	345-LFRP180	346-LFRP540
-1/-25	30/-13	●	LF RACE GRAPHITE	343-LFRG45	344-LFRG90	345-LFRG180	346-LFRG540
		●	LF RACE ALL TEMP	343-LFRA45	344-LFRA90	345-LFRA180	346-LFRA540

°C	°F		LF GLIDE WAXES	60G
+10/-1	50/30	●	LF WET	336-LFW60
0/-5	32/23	●	LF MID	336-LFM60
-1/-10	30/14	●	LF COLD	336-LFC60
-1/-25	30/-13	●	LF POLAR	336-LFP60
-1/-25	30/-13	●	LF RACE GRAPHITE	336-LFG60
		●	LF RACE ALL TEMP	336-LFA60

LIQUID PRODUCTS



LIQUID PRODUCTS

Revolutionary liquid ski waxes are highly used from recreational skiers up to World Cup level in all ski sports. High-quality organic solvents used in these products have excellent solubility, transportation properties, and optimized evaporation time. Wax molecules absorb from the liquids into the base material effectively and gently and retain the performance of the ski base longer than hot melted paraffins.

Easy waxing without iron or bench.

Package size: 80 ML

UF GLIDE WAXES

Vauhti UF liquid glide waxes are based on the ingredients used in the Vauhti UF series. On its best when used on top of HF Base or traditional paraffin waxes. Liquid UF waxes are an excellent product to be used as the base wax or mixed together with the fluorocarbon blocks.



341-LUFW UF WET LIQUID GLIDE

+10/-6°C | 50/21°F

For all snow types from wet snow to damp snow down to zero degrees.

341-LUFM UF MID LIQUID GLIDE

+2/-4°C | 36/25°F

For all snow types, especially on new snow and damp snow.

341-LUFC UF COLD LIQUID GLIDE

-3/-15°C | 27/5°F

For all snow types on cold conditions.

341-LUFLDR UF LDR LIQUID GLIDE

+5/-10°C | 41/-4°F

For all snow types, especially in old and man-made snow.

HF GLIDE WAXES

Vauhti HF liquid glide waxes are based on the ingredients used in the Vauhti HF series. On its best when used on top of HF Base or traditional paraffin waxes. Liquid HF waxes are an excellent product to be used as the base wax or mixed together with the fluorocarbon blocks.



341-QHFW HF WET LIQUID GLIDE

+10/-1°C | 50/30°F

For all snow types from wet snow to damp snow down to zero degree.

341-QHFM HF MID LIQUID GLIDE

+1/-8°C | 34/18°F

For all snow types on damp snow.

341-QHFC HF COLD LIQUID GLIDE

-2 /-15°C | 34/18°F

Suitable for cold and fine grained snow.

LF GLIDE WAXES

Vauhti LF liquid glide waxes are based on the ingredients used in the Vauhti racing paraffins. On its best when used on top of HF Base.



341-QLFW
LF WET LIQUID GLIDE
+10/-1°C | 50/30°F

For all snow types from wet snow to damp snow down to zero degree.

341-QLFM
LF MID LIQUID GLIDE
+1/-8°C | 34/18°F

For all snow types, especially on new snow and damp snow.

341-QLFP
LF POLAR LIQUID GLIDE
-2/-20°C | 28/-4°F

For all snow types on cold conditions.

LIQUID BASE WAXES FOR GLIDE ZONE

Vauhti liquid base waxes contain high quality polyethylene waxes which makes a hard, dirt-resistant and wear-resistant coating on the ski base under the liquid glide waxes or traditional paraffins.



341-LHFBA
HF BASE

High fluorocarbon base wax for glide zone.

341-LABA
ALPINE BASE

Fluorinated base wax for alpine skis.

TABLE DISPLAY

400-1017B
POS DISPLAY FOR
56 BOTTLES

400-1006B
POS DISPLAY FOR
42 BOTTLES

STANDING DISPLAY

400-1018
POS DISPLAY FOR
165 BOTTLES

400-1007B
POS DISPLAY FOR
110 BOTTLES



GRIP WAXES



FLUORINATED GRIP WAXES (GF)

PACKAGE SIZE: 45G | 1.6OZ

Excellent performance of GF fluorinated grip waxes comes from a revolutionary ingredient that reacts to temperature precisely. Thanks to this innovation, the risk of the grip wax icing in sub-zero temperatures is reduced considerably and the grip properties are exceptional. GF grip waxes have wide operation range, which makes them a good choice also for recreational skiers.



347-GFR
GF RED
+2/-1°C | 36/30°F



347-GFC
GF CARROT (old snow)
-2/-12°C | 28/10°F



347-GFB
GF BLUE
-3/-10°C | 27/14°F



347-GFG
GF GREEN
-4/-20°C | 25/-4°F



347-GFV
GF VIOLET
-1/-7°C | 30/19°F



347-GFP
GF PINK (new snow)
0/-5°C | 32/23°F



347-GFS
GF SILVER
+1/-4°C | 33/25°F

FLUORINATED KLISTERIS (KF)

PACKAGE SIZE: 60G | 2.1OZ



382-KFBA
KF BASE
+10/-20°C | 50/-4°F



382-KFR
KF RED
+10/+2°C | 50/36°F



382-KFV
KF VIOLET
+3/-8°C | 37/18°F



382-KFB
KF BLUE
+1/-15°C | 34/5°F



382-KFU
KF UNIVERSAL
+10/-7°C | 50/19°F



VAUHTI SPEED OY
PAMILONKATU 9
80100 JOENSUU
FINLAND
+358 (0)10 3465310

WWW.VAUHTI.FI